



Quantification Of Monosaccharide Anhydrides by LC/HRMS TOF- Application to Samples from An Urban and a Sub-Urban Site Influenced by Small-Scale Woodburning

K.E. Yttri and C. Dye

Department for Chemical Analysis, Norwegian Institute for Air Research. P.O. Box 100, N-2027 Kjeller, Norway - www.nilu.no

Introduction

Water-soluble organic carbon (WSOC) accounts for 20–70% of the total carbon found in ambient aerosols. Studies that elucidate the nature and amount of the major compounds present in the WSOC fraction are needed to improve the understanding of how they influence atmospheric chemistry and climate. Particles originating from wood burning are especially rich in WSOCs, and levoglucosan, which is a monosaccharide anhydride (MA), is so far the most ubiquitous single compound detected. In this study levoglucosan (1,6-anhydro- β -D-glucopyranose) ($C_6H_{12}O_5$) and its isomeric compounds galactosan and mannosan, have been quantified at two sites influenced by small-scale biomass burning for residential heating during winter, using a LC/HRMS TOF instrument. Levoglucosan can be used as a general tracer for biomass burning as it can only be emitted into the atmosphere by incomplete combustion.

Methods

Two sampling campaigns were conducted during November – December 2001 in Oslo (urban site) and during February - March 2002 at Elverum (suburban site). Ambient air aerosols were collected using a PM_{10} unit, having a 50% cut off for aerosols with an EAD of $10 \mu m$. At Elverum a Berner impactor segregating aerosols into eight size fractions between 60 nm and $16 \mu m$ was operated simultaneously. The aerosols were collected on pre-fired ($850^\circ C$, 3.5 h) quartz fibre filters (Whatman Q-MA). The filters were stored at $-30^\circ C$ before being subjected to analysis. Prior to analysis parts of the filters ($1-1.5 cm^2$) were soaked in tetrahydrofuran (2 ml) and subjected to ultrasonic bath (30 min). The extracts were filtered through a syringe filter ($0.45 \mu m$) to remove particulate matter and filter parts. Each filter was extracted twice, and prior to analysis the sample solvent elution strength was adapted to the mobile phase by adding ultrarinated Milli-Q water. The LC/HRMS TOF instrument was operated in negative electrospray mode. Reversed phase C18 chromatography was selected as separation technique for the MAs.

Results:

Table 1: Mean, min and max concentrations of monosaccharide anhydrides in the PM_{10} fraction in Oslo (Nov-Dec, 2001) and at Elverum (Feb-Mar, 2002). The MA concentrations are given in units of $ng m^{-3}$.

	Levoglucosan	Mannosan	Galactosan	ΣMA
Oslo	159 (n.d.-475)	39 (n.d.-155)	2 (n.d.-17)	201 (n.d.-614)
Elverum	421 (134-971)	121 (34-286)	3 (1-7)	544 (187-1240)

Table 2: Relative contribution of ΣMA to the OC, WSOC and mass concentration in the PM_{10} fraction.

	$\Sigma MA/OC_c$ (%) ³⁾	$\Sigma MA/WSOC$ (%)	$\Sigma MA/PM_{10}$ (%)
Oslo	2.6 ¹⁾	5.4	0.6
Elverum	8.6 ²⁾	-	3.3

- 1) OC corrected for positive adsorption of organic vapor by a QBQ set up.
- 2) OC corrected for positive adsorption of organic vapor by a QBT set up.
- 3) Concentration of OC in $\mu g C m^{-3}$

Table 3: Regression coefficients (R^2) for ΣMA determined against OC, WSOC and mass concentration in the PM_{10} fraction.

	ΣMA vs OC_c	ΣMA vs WSOC	ΣMA vs PM_{10}
Oslo	0.86 (n = 14)	0.77 (n = 14)	0.74 (n = 24)
Elverum	0.90 (n = 21)	-	0.88 (n = 21)

Conclusions

Wood burning for residential heating during winter is widespread in Scandinavia. The presence of a reliable tracer as levoglucosan or SMA is therefore important in order to verify and potentially improve existing models for small-scale wood burning. As far as we know this is the first time a LC/MS-method has been used to quantify MAs. This method benefits from the fact that no extensive derivatisation step is needed and therefore less time have to be spent on sample preparation. The results obtained indicate quite strongly that this approach is a good alternative to the already established GC/MS techniques.




Figure 1: Particle size distribution of ΣMA measured in ambient air at Elverum, using a Berner cascade impactor. The line is the lognormal fit to the observed data given by bars. The mode diameter (x_c) of the log normal distribution is 561 nm. 80% of the ΣMA is associated with particles $< 1 \mu m$.




Figure 2: PM_{10} mass concentration and ΣMA concentration at Elverum during weekdays. Average temperature in the sampling period was $-5.1^\circ C$ ($-25.7 - 5.6$). The high degree of correlation indicates that wood burning is the dominating source.




Figure 3: Comparison between levoglucosan and modeled concentrations of particulate matter due to wood burning contributing to the PM_{10} fraction on weekdays in Oslo. The discrepancies between the two datasets indicates that there are certain conditions that the model is not accounting for. R^2 is 0.39 and $r_p = 0.63$

Acknowledgement

This work was supported by VISTA (The Norwegian Academy of Science and Letters and Statoil) and the Norwegian Institute for Air Research.

References

- Decesari S., Facchini M.C., Matta E., Lettini F., Mircea M., Fuzzi S., Tagliavini E., Putaud J.P. 2001 Chemical features and seasonal variation of fine aerosol water-soluble organic compounds in the Po Valley, Italy. *Atmospheric Environment* **35**, No. 21, 3691.